



MULTI-INNO TECHNOLOGY CO., LTD.

# LCD MODULE SPECIFICATION

**Model : MI0220NT**

Revision	A
Engineering	
Date	
Our Reference	



## History of Versions and Modifications

<b>Version</b>	<b>Modifications</b>	<b>Date</b>
<b>A</b>	<b>Generation first version</b>	2008-5-14



---

# PRODUCT SPECIFICATIONS

- ◆ **MODULE CLASSIFICATION INFORMATION**
- ◆ **LCD MODULE PHYSICAL DATA**
- ◆ **EXTERNAL DIMENSIONS**
- ◆ **BLOCK DIAGRAM**
- ◆ **ABSOLUTE MAXIMUM RATINGS**
- ◆ **ELECTRICAL CHARACTERISTICS**
- ◆ **INTERFACE PIN CONNECTIONS**
- ◆ **RECOMMAND INITIAL CODE**
- ◆ **ELECTRO-OPTICAL CHARACTERISTICS**
- ◆ **SPECIFICATION OF QUALITY ASSURANCE**
- ◆ **RELIABILITY**
- ◆ **SUGGESTIONS FOR USING LCD MODULES**
- ◆ **PACKING**
- ◆ **ENVIRONMENT-RELATED SUBSTANCES**



◆ **MODULE CLASSIFICATION INFORMATION**

**MI0220 NT**

**MI** MULTI-INNO standard module

**0220:Display Size is 2.2inch**

**N: Serial Number**

**T: TFT Module**

## ◆ LCD MODULE PHYSICAL DATA


### ● General Description

<b>Display Type</b>	<b>262K TFT</b>
<b>Display Mode</b>	<b>POSITIVE</b>
<b>Viewing Direction</b>	<b>12 o'clock</b>
<b>Connection Type</b>	<b>COG</b>
<b>Operation temperature</b>	<b>-20℃ ~70℃</b>
<b>Storage temperature</b>	<b>-30℃ ~80℃</b>
<b>Driving IC</b>	<b>ILI9320</b>



### ● Mechanical Description

<b>Item</b>	<b>Standard Value</b>	<b>Unit</b>
<b>Number of dots</b>	<b>240RGBX 320dots</b>	<b>-</b>
<b>LCM dimension</b>	<b>40.40(W) X 56.50(H) X2.50(T)</b>	<b>mm</b>
<b>LCD outline</b>	<b>37.68(W) X52.82(H)</b>	<b>mm</b>
<b>Active area</b>	<b>33.48(W) X44.64(H)</b>	<b>mm</b>
<b>Dot size</b>	<b>0.1295(W) X0.1295 (H)</b>	<b>mm</b>
<b>Dot pitch</b>	<b>0.1395(W) X0.1395(H)</b>	<b>mm</b>
<b>Backlight</b>	<b>4 Chip –WHITE LED parallel</b>	<b>/</b>
<b>The KEY and accessory materials of our product according with ROHS standard</b>		

◆ EXTERNAL DIMENSIONS



◆ BLOCK DIAGRAM



**◆ ABSOLUTE MAXIMUM RATINGS**

Item	Symbol	Rating	Unit
Operating temperature	Top	-20 to 70	°C
Storage temperature	Tst	-30 to 80	°C
Input voltage	Vin	-0.3 to VDD+0.3	V
Supply voltage for logic	VDD	-0.3 to 4.6	V
Supply voltage for LCD	VGH – GND	-0.3 to 18.5	V

**NOTE:**

1. If the module is used above these absolute maximum ratings. It may become permanently damaged. Using the module within the following electrical characteristic conditions are also exceeded, the module will malfunction and cause poor reliability.
2. VDD>GND must be maintained.

## ◆ ELECTRICAL CHARACTERISTICS

### ● DC Characteristics


Item	Symbol	Condition	Min	Typ	Max	Unit
Input high voltage	V <sub>IH</sub>	-	0.8 VDD3	-	VDD3	V
Input low voltage	V <sub>IL</sub>	-	-0.3	-	0.2VDD3	V
Output high voltage	V <sub>OH</sub>	-	0.8 VDD3	-	-	V
Output low voltage	V <sub>OL</sub>	-	-	-	0.2VDD3	V
Operating voltage	VDD3	Ta=25°C	-	2.8	-	V
LCD driving voltage	V <sub>GH</sub>	Ta=25°C	-	-	16	V
Current consumption for LCD normal operation	I <sub>DD</sub>	VDD =2.6V	-	-	9	mA

### ● Back-Light unit

Item	Symbol	Min	Typ	Max	Unit	Remark
Current	I <sub>BL</sub>	-	60	-	mA	15mA/chip
CIE	X	0.25	-	0.29	-	X>Y
	Y	0.24	-	0.28	-	
Brightness	-	3800	-	-	-	-
Luminous Uniformity Ratio	-	80	-	-	%	-

Note:

1. Average Luminous Uniformity of P1 ~ P5 ( Using a luminance meter BM-7 )
  2. Luminous Uniformity Ratio = min/max \* 100%
- Measured Method (X\*Y: Light Area).



### ● AC Characteristics

Refer to the SPEC of ILI9320

### ◆ INTERFACE PIN CONNECTIONS

NO.	Symbol	Function
1	NC	No connection
2	NC	
3	NC	
4	NC	
5	GND	Ground
6	VCI	Power supply for analog
7	IOVCC	Power supply for logic
8	CS	Chip select
9	RS	Register select pin
10	WR	Write signal
11	RD	Read signal
12	GND	Ground
13	DB0	Data bus
14	DB1	
15	DB2	
16	DB3	
17	DB4	
18	DB5	
19	DB6	
20	DB7	
21	DB8	
22	DB9	
23	DB10	
24	DB11	
25	DB12	
26	DB13	
27	DB14	
28	DB15	
29	GND	Ground
30	RESET	Reset pin
31	IM0	MPU interface select pin
32	LED+	Backlight positive
33	LED+	
34	LED+	
35	LED+	
36	LED-	Backlight negative

## ◆ Recommend Initial Code

```
void initial()
{
    write_command(0x00,0xE5);//SET the vore voltage
        write_data(0x80,0x00);

    write_command(0x00,0x00);//start internal OSC
        write_data(0x00,0x01);
        delay(10);

    write_command(0x00,0x01);
        write_data(0x01,0x00);    //SS,SM

    write_command(0x00,0x02);
        write_data(0x07,0x00);    //1-LINE inversion

        write_command(0x00,0x03);//set GRAM write direction and BGR=0.
        write_data(0x00,0x30);

    write_command(0x00,0x04);//Resize register
        write_data(0x00,0x00);

    write_command(0x00,0x08);
        write_data(0x02,0x02);    //set the back porch and front porch

    write_command(0x00,0x09);
        write_data(0x00,0x00);    //set non-display area refresh cycle ISC[3:0]

        write_command(0x00,0x0a);
        write_data(0x00,0x00);    //FMARK function

    write_command(0x00,0x0c);
        write_data(0x00,0x00);    //RGB interface setting

        write_command(0x00,0x0D);//Frame marker Position
        write_data(0x00,0x00);

    write_command(0x00,0x0F);//RGB interface polarity
        write_data(0x00,0x00);

    /*power on setting*/

    write_command(0x00,0x10);
        write_data(0x00,0x00);    //SAP, BT[3:0], AP, DSTB, SLP, STB

        write_command(0x00,0x11);//DC1[2:0], DC0[2:0], VC[2:0]
        write_data(0x00,0x07);

    write_command(0x00,0x12);//VREG1OUT voltage
        write_data(0x00,0x00);

    write_command(0x00,0x13);
        write_data(0x00,0x00);    //VDV[4:0] for VCOM amplitude
        delay(200); //200ms

    write_command(0x00,0x10);
```



```
write_data(0x16,0xf0); //SAP, BT[3:0], AP, DSTB, SLP, STB

write_command(0x00,0x11);//DC1[2:0], DC0[2:0], VC[2:0]
write_data(0x00,0x37);
delay(50); //50ms

write_command(0x00,0x12);//VREG1OUT voltage
write_data(0x01,0x3A);//3E
delay(50); //50ms

write_command(0x00,0x13);
write_data(0x1D,0x00); //VDV[4:0] for VCOM amplitude

write_command(0x00,0x29);
write_data(0x00,0x09); //VCM[4:0] for VCOMH
delay(50); //50ms

//write_command(0x00,0x2B);//frame rate control
//write_data(0x00,0x00);

//gamma setting
write_command(0x00,0x30);
write_data(0x00,0x00);
write_command(0x00,0x31);
write_data(0x02,0x07);
write_command(0x00,0x32);
write_data(0x07,0x07);

write_command(0x00,0x35);
write_data(0x02,0x03);
write_command(0x00,0x36);
write_data(0x06,0x09);
write_command(0x00,0x37);
write_data(0x07,0x07);
write_command(0x00,0x38);
write_data(0x04,0x00);
write_command(0x00,0x39);
write_data(0x07,0x07);

write_command(0x00,0x3c);
write_data(0x05,0x00);
write_command(0x00,0x3d);
write_data(0x18,0x07);

//Set GRAM area
write_command(0x00,0x20);//GRAM horizontal Address
write_data(0x00,0x00);

write_command(0x00,0x21);
write_data(0x00,0x00); //GRAM Vertical Address

write_command(0x00,0x50);//x-start
write_data(0x00,0x00);
write_command(0x00,0x51);//x-end
write_data(0x00,0xEF);

write_command(0x00,0x52);//Y-START
write_data(0x00,0x00);
```



```
write_command(0x00,0x53);
  write_data(0x01,0x3F); //Y-END

write_command(0x00,0x60);
  write_data(0x27,0x00);//Gate Scan Line

write_command(0x00,0x61);
  write_data(0x00,0x01);//NDL,VLE, REV

write_command(0x00,0x6A);//set scrolling line
  write_data(0x00,0x00);

  //Panel control
  //----- Panel Control -----//
write_command(0x00,0x90);//Clocks/Line 10-16clock 14-20clock
  write_data(0x00,0x14); //division ratio of internal clock frequency.

write_command(0x00,0x92);//Gate Non-overlap Period
  write_data(0x00,0x00);

write_command(0x00,0x93);//Source Output Position
  write_data(0x00,0x03);

//write_command(0x00,0x95);
//  write_data(0x01,0x10);

//write_command(0x00,0x97);
//  write_data(0x00,0x00);

//write_command(0x00,0x98);
//  write_data(0x00,0x00);

  //display on
write_command(0x00,0x07);
  write_data(0x00,0x21);
delay(20);

//write_command(0x00,0x07);
//  write_data(0x00,0x61);
//delay(20);

write_command(0x00,0x07);
  write_data(0x01,0x73);
delay(20);

  write_command(0x00,0x22);
}
```

## ◆ ELECTRO-OPTICAL CHARACTERISTICS

Driving condition: VDD=2.8V, I<sub>BL</sub>= 15mA/LED, Temperature =23°C±5°C, Humidity=60%±20%RH

Item	Light angle ( ° )	Temp ( °C )	Symbol	Specifications			Unit	Conditions	Note		
				Min.	Typ.	Max.					
Transmissive	0	25	-	-	TBD	-	%	(Equipment :BM-7/CS-200)	(1)		
Contrast ratio	0	25	Cr	-	341	-	-		(2)		
Brightness	0	25	-	-	268	-	-		-		
Luminance uniformity (surface within panel)	0	25	Lu	70	80	-	%		(3)		
Cross talk	0	25	CTV	-	-	20	%		(4)		
Chromaticity	R x	0	25	Rx	0.5828	0.6328	0.6828	-			
	R y			Ry	0.2999	0.3499	0.3999				
	G x			Gx	0.2738	0.3238	0.3738				
	G y			Gy	0.5475	0.5975	0.6475				
	B x			Bx	0.0932	0.1432	0.1932				
	B y			By	0.0252	0.0752	0.1252				
	W x			Wx	0.2368	0.2868	0.3368				
	W y			Wy	0.2395	0.2895	0.3395				
Color Reproduction Area(NTSC)		0	25	-	-	65	-	%	CIE1931(x,y)	(5)	
Response time	Tr	0	25	-	-	TBD	-	ms	Viewing normal angle $\theta_x = \theta_y = 0^0$	-	
	Tf				-	TBD	-				
Viewing angle	Hor.	0	25	-	-	TBD	-	deg	Center CR≥10	-	
						$\theta_{x-}$	TBD				-
	Ver.					$\theta_{y+}$	TBD				-
						$\theta_{y-}$	TBD				-

### Note:

#### (1). Transmittance

##### Introduction

Transmittance (diffuse transmission factor) is a measure for the LCD panel transparency. The Light Source for this measurement is the accompanying LCD-module backlight system (LEDs, Lightguide...)

##### Measurement conditions:

<b>Measuring Equipment</b>	<b>BM-7/CS-200</b>
<b>Measurement Point Diameter</b>	<b>3mm</b>
<b>Measurement Point Location</b>	<b>Active Area Center Point</b>
<b>Light source</b>	<b>LCD module backlight</b>
<b>Reflectance Plate</b>	<b>Reflectance Standard(cal. plate)</b>
<b>Test pattern</b>	<b>All pixels white</b>
<b>Contrast setting</b>	<b>Maximum</b>

**Measuring procedure:**

**Transmittance:**

The light source is located at the backside of the panel.

- 1、 Measure the light source
- 2、 Place the LCD panel in front of the light source. Measure the luminance on the LCD panel surface

**Definitions**

$$\tau = \frac{L_{V_{LCD-panel}}}{L_{V_{lightsource}}} * 100\%$$

- (2) **Definition of Contrast Ratio (C/R):** Ratio of gray max (Gmax) & gray min (Gmin) at the center point.

$$CR = \frac{G(Max)}{G(Min)}$$

Where

**Gmax:** Luminance with all pixels white

**Gmin:** Luminance with all pixels black


- (3). **Surface luminance uniformity within panel**

**Measurement conditions:**

<b>Measuring Equipment</b>	<b>CS200 // BM-7</b>
<b>Measurement Point Diameter</b>	<b>3mm // 1mm</b>
<b>Measurement Point Location</b>	<b>Active Area</b>
<b>Light Source</b>	<b>Transmissive Mode: Internal (Backlight)</b>
<b>Test pattern</b>	<b>White</b>

**Measuring procedure:**

Measure the luminance Li with the points in figure 1.


**Figure 1**

A: 5 mm    B: 5 mm  
H, V: Active Area

**Uniformity value (Lu):**

$$Lu = \frac{\max(Li) - \min(Li)}{\max(Li)}$$

#### (4). CROSS-TALK

##### Introduction:


Crosstalk is an effect where the contrast of a display pixel is influenced by the state of the related pixels. A measure for this effect is the Cross Talk Value (CTV)

##### Measurement conditions:

Measuring Equipment	CS200 // BM-7
Measurement Point Diameter	3mm // 1mm
Measurement Point Location	
Light Source	Transmissive Mode: Internal (Backlight)
Contrast setting	Maximum

##### •Test Pattern (valid for all greyscales):

**W:** The width of the rectangle in the following pictures;



● **Definitions:**

**Cross Talk Value:**

$$CTV = |L_{vA} - L_{vB}| / L_{vA} * 100\%$$

**Where:**

**L<sub>vA</sub>:** Luminance measured with the centre test point of pattern A

**L<sub>vB</sub>:** Luminance measured with the centre test point of pattern B.

● **Measuring procedure:**

Adaptation of the display to the highest contrast ratio ( $CR = L_{vA}/L_{vC}$ ) as defined by the test patterns and a test area of 14 x 14 dots.

Measurement of Luminance with test point A, B.

Determination of Crosstalk value (CTV)

(5). NTSC

**Measurement conditions:**

Measuring Equipment	LCD-5200
Measuring Point Diameter	3mm//1mm
Measuring point location	Active Area center point
Light source	Transmissive Mode: internal(Backlight)
Test pattern	All Pixels White Red.Green.Blue.White: Maximum colour saturation (maximum gradation level)
Contrast setting	Maximum

**Definitions**

Panel colour coordinates according the CIE colour system (CIE 1931). In general, It is always requested to measure the X, Y and Z values.

Here  $u'$ ,  $v'$  and  $L^*$  are according CIE 1931:

$$x' = \frac{4 \cdot X}{X + 15 \cdot Y + 3 \cdot Z}$$

$$y' = \frac{9 \cdot Y}{X + 15 \cdot Y + 3 \cdot Z}$$

$$L^* = 116 \cdot \left( \frac{Y}{Y_n} \right)^{1/3} - 16$$


**Colour distance definition (maximum allowed colour distance to specified typical colour coordinate):**

$$\Delta x' y' = \sqrt{\Delta x'^2 + \Delta y'^2}$$

**Where:**

$$\Delta x' = \text{Max} \left\{ \left| x'_{typ} - x'_{max} \right|, \left| x'_{typ} - x'_{min} \right| \right\}$$

$$\Delta y' = \text{Max} \left\{ \left| y'_{typ} - y'_{max} \right|, \left| y'_{typ} - y'_{min} \right| \right\}$$



**Color Gamut definition:**

$$F = \sqrt{s(s-a)(s-b)(s-c)} * 1000$$

**Where**

$$s = \frac{(a+b+c)}{2}$$

$$a = \sqrt{(x'_{blue} - x'_{red})^2 + (y'_{blue} - y'_{red})^2}$$

$$b = \sqrt{(x'_{blue} - x'_{green})^2 + (y'_{blue} - y'_{green})^2}$$

$$c = \sqrt{(x'_{red} - x'_{green})^2 + (y'_{red} - y'_{green})^2}$$




**Color Gamut Ratio (NTSC) related to NTSC':**

**NTSC: =F (display)/F (NTSC')**

**NTSC' primaries:**

	$x'$	$y'$
<b>Red</b>	<b>0.67</b>	<b>0.33</b>
<b>Green</b>	<b>0.21</b>	<b>0.71</b>
<b>Blue</b>	<b>0.14</b>	<b>0.08</b>

**F (NTSC') =74.42**



## ◆ SPECIFICATION OF QUALITY ASSURANCE

### ● Summary

The customer should check and accept the products of Multi-Inno within one month after reception. This standard for quality assurance should affirm the quality of LCD products to supply to purchaser by Multi-Inno technology co.,ltd. Entire process is controlled according to ISO9001.

### ● Warranty period

Warranty period of this product is 12 months from manufacture code.

### ● Standard for quality test

- 1、 Inspection  
Before delivering, the supplier should take the following test, and confirm the quality of product.
- 2、 Electro-Optical Characteristics  
According to the individual specification to test the product.
- 3、 Test of Appearance Characteristics:  
According to the individual specification to test the product.
- 4、 Test of Reliability Characteristics  
According to the definition of reliability on specification for test product.
- 5、 Delivery Test  
Before delivering, the supplier should take the delivery test
- 6、 Sampling Method: GB/T2828.1-2003, Level II
- 7、 The defects classify of AQL as following

Major defect : AQL=0.65

Minor defect:: AQL= 1.5

### ● Nonconforming Analysis & Deal With Manners

#### ✧ Nonconforming Analysis

- 1、 Purchaser should supply the detail data of nonconforming sample and the non-suitable state.
- 2、 After accepting the detail data from purchaser ,the analysis of nonconforming should be finished in two weeks.
- 3、 If supplier can not finish analysis on time ,must announce purchaser before two weeks.

#### ✧ Disposition of nonconforming

- 1、 If find any supplier defect during assembly line, supplier must change the good product for every defect after recognition.
- 2、 Both supplier and customer should analysis the reason and discuss the disposition of nonconforming when the reason of nonconforming is not sure.

### ● Agreement items.

Both sides should discuss together when the following problems happen:

- 1、 There is any problem of standard of quality assurance, and both sides think that must be modifier.
- 2、 There is any argument item which does not record in the quality assurance.
- 3、 Any other special problem.


### ● Standard of the Product Appearance Test

#### ■ Manner of appearance test

- 1、 The test must be under 20W\*2 or 40W fluorescent light ,and the distance of view must be at 30±5


cm;

- 2、 When test the model of Transmissive product must add the reflective plate.
- 3、 The test direction is base on about around 30 degree(within  $\theta$  range)of vertical line, and the test time is below 5s.



4、 Definition of Area:

- A Area: Active area
- B Area: Viewing area
- C Area: Out of viewing area
- D Area: Seal area



Note:



- A: Active Area is drawn in the drawing
- B: Viewing Area border is 2mm from Active Area border

■ Basic principle:

- 1、 It will accord to the AQL when the standard can not be described.
- 2、 The sample of the lowest acceptable quality level must be discussed by both supplier and customer when any dispute happened.
- 3、 Must add new item on time when it is necessary.

■ Inspection specification

NO	Item	Criterion	AQL
01	Electrical Testing	1.1 Missing vertical, horizontal segment, segment contrast defect. 1.2 Missing character, dot or icon.	


		1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 LCD viewing angle defect. 1.7 Contrast defect	0.65																			
02	LCM black spots, white spots, bright spots, contamination, (display/non-display)	As following drawing $\Phi = (x+y)/2$  <table border="1"> <thead> <tr> <th></th> <th>Size</th> <th>Acceptable QTY</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td rowspan="4"><b>Common dots defect</b></td> <td><math>\Phi \leq 0.15</math></td> <td>Ignore</td> <td>/</td> </tr> <tr> <td><math>0.15 &lt; \Phi \leq 0.25</math></td> <td>2</td> <td><b>more than 5mm between two defects</b></td> </tr> <tr> <td><math>0.25 &lt; \Phi \leq 0.3</math></td> <td>1</td> <td>/</td> </tr> <tr> <td><math>0.3 &lt; \Phi</math></td> <td>0</td> <td>/</td> </tr> </tbody> </table>		Size	Acceptable QTY	Remark	<b>Common dots defect</b>	$\Phi \leq 0.15$	Ignore	/	$0.15 < \Phi \leq 0.25$	2	<b>more than 5mm between two defects</b>	$0.25 < \Phi \leq 0.3$	1	/	$0.3 < \Phi$	0	/	1.5		
	Size	Acceptable QTY	Remark																			
<b>Common dots defect</b>	$\Phi \leq 0.15$	Ignore	/																			
	$0.15 < \Phi \leq 0.25$	2	<b>more than 5mm between two defects</b>																			
	$0.25 < \Phi \leq 0.3$	1	/																			
	$0.3 < \Phi$	0	/																			
03	Scratches, line type contamination (display/non-display)	As following drawing  <table border="1"> <thead> <tr> <th>Length</th> <th>Width</th> <th>Acceptable QTY</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>---</td> <td><math>W \leq 0.03</math></td> <td>Ignore</td> <td>/</td> </tr> <tr> <td><math>L \leq 3.5</math></td> <td><math>0.03 &lt; W \leq 0.05</math></td> <td>3</td> <td rowspan="2">More than 5mm between two defects</td> </tr> <tr> <td><math>L \leq 3</math></td> <td><math>0.05 &lt; W \leq 0.08</math></td> <td>3</td> </tr> <tr> <td>---</td> <td><math>0.08 &lt; W</math></td> <td>0</td> <td>/</td> </tr> </tbody> </table>	Length	Width	Acceptable QTY	Remark	---	$W \leq 0.03$	Ignore	/	$L \leq 3.5$	$0.03 < W \leq 0.05$	3	More than 5mm between two defects	$L \leq 3$	$0.05 < W \leq 0.08$	3	---	$0.08 < W$	0	/	
Length	Width	Acceptable QTY	Remark																			
---	$W \leq 0.03$	Ignore	/																			
$L \leq 3.5$	$0.03 < W \leq 0.05$	3	More than 5mm between two defects																			
$L \leq 3$	$0.05 < W \leq 0.08$	3																				
---	$0.08 < W$	0	/																			

04	Polarizer bubbles	If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.			1.5	
		Size	Acceptable QTY	Remark		
		$\Phi \leq 0.5$	ignore	/		
		$0.5 < \Phi \leq 1.0$	2	<b>More than 5mm between two defects</b>		
		$1.0 < \Phi$	0	/		
05	TP black spots, white spots, concavo-convex spots, scratches (display/non-display)	5.1 spots			1.5	
		Size	Acceptable QTY			
		$\Phi \leq 0.2$	ignore			
		$0.2 < \Phi \leq 0.3$	2	More than 5mm between two defects		
		$0.3 < \Phi$	0			
		5.2 lines(not scratch): L:Length; W:Width			1.5	
	$L \leq 10$	$W \leq 0.05$	Ignore	/		
	$L \leq 10$	$0.05 < W \leq 0.10$	2	More than 5mm between two defects		
		-----	$0.1 < W$	0	/	
		5.3 lines(scratch): L:Length; W:Width			1.5	
	$W \leq 0.03$	Ignore	/			
	$L \leq 2.0, 0.03 < W \leq 0.05$	2	More than 5mm between two defects			
	$L \leq 1.0, 0.05 < W \leq 0.1$	2				
	$L \geq 2.0, W \geq 0.05$ or $L \geq 1.0, W \geq 0.1$	0	/			
	TP Newton's ring and Interference fringes	a: Area of Newton's ring and Interference fringes A: Whole TP surface $a \leq 1/2 * A$			1.5	
	TP Position disabled or losing	Not allowed			1.5	

06	Backlight elements	6.1 Illumination source flickers when lit. 6.2 Spots or scratches that appear when lit must be judged using LCD spot, lines and contamination standards. 6.3 Backlight doesn't light or color is wrong	0.65 1.5 0.65
07	Soldering	7.1 No unmelted solder paste may be present on the PCB. 7.2 No cold solder joints, missing solder connections, oxidation or icicle. 7.3 No residue or solder balls on PCB. 7.4 No short circuits in components on PCB.	0.65 0.65 1.5 0.65
08	General appearance	8.1 No oxidation, contamination, curves or, bends on interface pin (OLB) of FPC 8.2 No cracks on interface pin(OLB) of FPC 8.3 NO contamination, solder residue or solder balls on product. 8.4 The IC on the FPC may not be damaged, circuits. 8.5 The residual rosin or tin oil of soldering (component or chip component) is not burned into brown or black color. 8.6 Sealant on top of the ITO circuit has not hardened 8.7 Pin type must match type in specification sheet. 8.8 LCD pin loose or missing pins. 8.9 Product packaging must the same as specified on packaging specification sheet. 8.10 Product dimension and structure must conform to product specification sheet.	1.5 0.65 1.5 0.65 1.5 1.5 1.5 0.65 1.5 1.5

## ◆ RELIABILITY

### 1. Environmental Test

No	Test Item	Test Condition& Criteria	Sample Size	Determinant Stand.				
1-1	High Temperature Operation	Temperature: $70 \pm 3^\circ\text{C}$ ; Humidity: Except; Test method: Operation Duration: 96Hrs	Sample Do: $\geq 2\text{PCS}$ On Going: $\geq 3\text{PCS}/\text{LOT}$	TS				
1-2	Low temperature Operation	Temperature: $-20 \pm 3^\circ\text{C}$ ; Humidity: Except; Test method: Operation Duration: 96Hrs	Sample Do: $\geq 2\text{PCS}$ On Going: $\geq 3\text{PCS}/\text{LOT}$	TS				
1-3	High Temperature / High Humidity Operation	Temperature: $60 \pm 3^\circ\text{C}$ ; Humidity: $95\% \pm 3\% \text{RH}$ ; Test method: Operation Duration: 96Hrs	Sample Do: $\geq 2\text{PCS}$ On Going: $\geq 3\text{PCS}/\text{LOT}$	TS				
1-4	Temperature Shock	Shock Temperature & Time:  Duration: 20cycle	Sample Do: $\geq 2\text{PCS}$ On Going: $\geq 3\text{PCS}/\text{LOT}$	TS				
1-5	Temperature Cycle	Normal temperature 2H $\rightarrow$ $-30 \pm 3^\circ\text{C}$ , 10H(3H) $\rightarrow$ $60 \pm 3^\circ\text{C}$ , $90 \pm 3\% \text{RH}$ 10H(3H) $\rightarrow$ $80 \pm 3^\circ\text{C}$ , 10H(2H) $\rightarrow$ ( $25^\circ\text{C}$ ) 5 cycles	Sample Do: $\geq 2\text{PCS}$ On Going: $\geq 3\text{PCS}/\text{LOT}$	TS				
<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 15%;">Item</th> <th>FAULT JUDGMENT CRITERIA</th> </tr> </thead> <tbody> <tr> <td>TS</td> <td>1. No clearly visible defects or deterioration of display quality allowed. 2. No function – related abnormalities.</td> </tr> </tbody> </table>					Item	FAULT JUDGMENT CRITERIA	TS	1. No clearly visible defects or deterioration of display quality allowed. 2. No function – related abnormalities.
Item	FAULT JUDGMENT CRITERIA							
TS	1. No clearly visible defects or deterioration of display quality allowed. 2. No function – related abnormalities.							

#### NOTE:

- When temperature moves, LCD's valve voltage will be influenced by it, which leads to LCD's contrast and chroma change.
- In high temperature operation and storage tests in MQE test will make LCD's power consumption increase. The reason is that a few crystal molecules are apart because of high temperature when there is a long time storage and operation in high temperature, which leads to decrease of gross resistance ratio of crystal molecules. Hence, LCD's power consumption go up than that of before test.

## 2. Mechanical Reliability Test

No.	Test Item	Test Condition& Criteria	Sample Size	Determinant Spec.
2-1	ESD test	Discharge modality: Contact voltage:±1KV、±2KV; Air voltage: ±2KV、±4KV、±6KV; (Discharge R=330Ω;C=150PF)	2PCS	No software error

## 3. Soldering

- (1) Soldering temperature: 340+/-10°C.
- (2) Available times for repeated soldering: 5 times
- (3) Attentions paid when soldering:
  - A. FPC's golden finger and soldering pad are butt-jointed before soldered. Tolerance is within the 1/3 width of golden finger and 0.5~1mm of FPC's length is allowed to be exposed in the jointed soldering pad.
  - B. Coat proper tin in the iron-head when soldering, with dragging speed of 2.5cm/sec.
  - C. The soldering part is warmed up first with iron-head when there is a rework. Then heat it up from one side until tin is melted, last, take off FPC.

## 4. FPC cable flexing and bending test

- Number of Bending / Flexing Cycles: <10 times  
 Radius of the Bend Mandrels: >0.4 mm  
 Degree of Bend: <180°

## ◆ SUGGESTIONS FOR USING LCD MODULES

### ● Handling of LCM

- (1) The LCD screen is made of glass. Don't give excessive external shock, or drop from a high place.
- (2) If the LCD screen is damaged and the liquid crystal leaks out, do not lick and swallow. When the liquid is attach to your hand, skin, cloth etc, wash it off by using soap and water thoroughly and immediately.
- (3) Don't apply excessive force on the surface of the LCM.
- (4) If the surface is contaminated, clean it with soft cloth. If the LCM is severely contaminated, use Isopropyl alcohol/Ethyl alcohol to clean. Other solvents may damage the polarizer. The following solvents are especially prohibited: water, ketone Aromatic solvents etc.
- (5) Exercise care to minimize corrosion of the electrode. Corrosion of the electrodes is accelerated by water droplets, moisture condensation or a current flow in a high-humidity environment.
- (6) Install the LCD Module by using the mounting holes. When mounting the LCD module make sure it is free of twisting, warping and distortion. In particular, do not forcibly pull or bend the I/O cable

or the backlight cable.

(7) Don't disassemble the LCM.

(8) To prevent destruction of the elements by static electricity, be careful to maintain an optimum work environment.

- Be sure to ground the body when handling the LCD modules.
- Tools required for assembling, such as soldering irons, must be properly grounded.
- To reduce the amount of static electricity generated, do not conduct assembling and other work under dry conditions.
- The LCD module is coated with a film to protect the display surface. Exercise care when peeling off this protective film since static electricity may be generated.

(9) Do not alter, modify or change the shape of the tab on the metal frame.

(10) Do not make extra holes on the printed circuit board, modify its shape or change the positions of components to be attached.

(11) Do not damage or modify the pattern writing on the printed circuit board.

(12) Absolutely do not modify the zebra rubber strip (conductive rubber) or heat seal connector

(13) Except for soldering the interface, do not make any alterations or modifications with a soldering iron.

(14) Do not drop, bend or twist LCM.

-

● **Storage**

(1) Store in an ambient temperature of 5 to 45 °C, and in a relative humidity of 40% to 60%. Don't expose to sunlight or fluorescent light.

(2) Storage in a clean environment, free from dust, active gas, and solvent.


(3) Store in antistatic container.


## ◆ PACKING

### ● Packing Materials

NO.	ITEM	Dimension(LXWXH) (mm)	Quantity
1	Tray	424X295X9	40
2	Carton	437X307X163	1000

### ● Packing Method





- (1). Put module into tray cavity :
- (2). Tray stacking
- (3). Put 1 cardboard under the tray stack and 1 cardboard above:
- (4). Fix the cardboard to the tray stack with adhesive tape:
- (5). Put the tray stack and 2 pcs desiccant into the LDPE bag
- (6). Fix the LDPE bag with adhesive tape:
- (7). Put LDPE bag with tray stack into carton.:
- (8). Carton sealing with adhesive tape.

## ◆ ENVIRONMENT-RELATED SUBSTANCES

- Meet with Environment-Related Substances Controlled Standard BHS-001