

Data sheet

Commercial Art.No.: 57.404.8155.9

Multi-tier terminal WK 4 E / U GUV0

Multi-tier function terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 4 mm², width 6 mm, color orange



Commercial Art.No.	57.404.8155.9
EAN	4015573575547
Order Unit	100

Certificates / Approvals



Technical data

General

Nominal cross section	4 mm ²
Color	orange
Number of levels	2
Number of clamp positions per level	2
Width/grid dimension	6 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Mounting method	DIN rail (top hat rail)/G-rail
Terminal blocks for electrical installations	No
Type of component	Diode

Technical data

Rated current	1 A
Rated voltage	400 V
Pollution degree	3
Closing plate required	yes
Type of insulation material	Thermoplastic
Length	61.6 mm

Connection Data

Connection type 1	screw connection
Connection type 2	screw connection

Minimum cross section solid	0.5 mm ²
Maximum cross section solid	4 mm ²
Minimum cross section fine stranded	0.5 mm ²
Maximum cross section fine stranded	4 mm ²
Wire strip length	9 mm
Torque conductor mounting	0.5 Nm

Technical Data UL/CSA

Cross section UL	22-10 AWG
Voltage UL	300 V
Current factory wiring	20 A
Current field wiring	20 A
Cross section CSA	20-12 AWG
Voltage CSA	300 V
Current CSA	10 A

Classification


ECLASS 11	
ECLASS 8.1	27141127
ETIM 7.0	EC000903
ETIM 6.0	EC000903
ETIM 5.0	EC000903
ETIM 4.0	EC000903
ETIM 3.0	EC000903

Accessories

Commercial Art.No.:	Article-type description:	Description:
Z7.256.4227.0	Jumper bar IVBS WK4 E - 2	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 2 - pole
Z7.256.4327.0	Jumper bar IVBS WK4 E - 3	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 3 - pole
Z7.256.4427.0	Jumper bar IVBS WK4 E - 4	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 4 - pole
Z7.256.4527.0	Jumper bar IVBS WK4 E - 5	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 5 - pole
Z7.256.4627.0	Jumper bar IVBS WK4 E - 6	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 6 - pole
Z7.256.4727.0	Jumper bar IVBS WK4 E - 7	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 7 - pole
Z7.256.4827.0	Jumper bar IVBS WK4 E - 8	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 8 - pole
Z7.256.4927.0	Jumper bar IVBS WK4 E - 9	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 9 - pole
Z7.256.5027.0	Jumper bar IVBS WK4 E - 10	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 10 - pole
Z7.256.5127.0	Jumper bar IVBS WK4 E - 11	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 11 - pole
Z7.256.5227.0	Jumper bar IVBS WK4 E - 12	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 12 - pole
98.190.0000.0	Mounting rail TS 32 UNPERF - l:2000mm	Mounting rail G 32, unslotted, Höhe 5,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated


98.190.1000.0	Mounting rail TS 32 PERF 15mm - l:2000mm	Mounting rail G 32, slotted, Höhe 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.210.0000.0	Mounting rail TS 32 UNPERF AL - l:2000mm	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material Aluminium
98.220.0000.0	Mounting rail TS 32 UNPERF CU - l:2000mm	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material E copper
98.300.0000.0	Mounting rail TS 35x7,5 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail TS 35x7,5 PERF 15mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail TS 35x7,5 PERF 25mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail TS 35x15-2,3 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail TS 35x15-2,3 UNPERF FZN - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized
98.370.0000.0	Mounting rail TS 35x15 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail TS 35x15 PERF 15mm - l:2000mm	Mounting rail TS 35, slotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail TS 35x15-2,3 UNPERF CU - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper
07.311.4055.0	End plate AP 4 E /V0	End plate for DIN rail terminal blocks type WK 4 E..., color: grey
07.311.5055.0	Partition TW 4 E /V0	Partition for DIN rail terminal blocks type WK 4 E..., color: grey
Z7.210.3227.0	Jumper bar 9215 - 2	Cross connector for DIN rail terminal blocks type WK 4 ..., 2-pole
Z7.210.3327.0	Jumper bar 9215 - 3	Cross connector for DIN rail terminal blocks type WK 4 ..., 3-pole
Z7.210.3427.0	Jumper bar 9215 - 4	Cross connector for DIN rail terminal blocks type WK 4 ..., 4-pole
Z7.210.3527.0	Jumper bar 9215 - 5	Cross connector for DIN rail terminal blocks type WK 4 ..., 5-pole
Z7.210.3627.0	Jumper bar 9215 - 6	Cross connector for DIN rail terminal blocks type WK 4 ..., 6-pole
Z7.255.2227.0	Jumper bar IVB WK4 E - 2	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 2 - pole
Z7.255.2327.0	Jumper bar IVB WK4 E - 3	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 3 - pole
Z7.255.2427.0	Jumper bar IVB WK4 E - 4	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 4 - pole
Z7.255.2527.0	Jumper bar IVB WK4 E - 5	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 5 - pole
Z7.255.2627.0	Jumper bar IVB WK4 E - 6	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 6 - pole
Z7.255.2727.0	Jumper bar IVB WK4 E - 7	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 7 - pole
Z7.255.2827.0	Jumper bar IVB WK4 E - 8	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 8 - pole
Z7.255.2927.0	Jumper bar IVB WK4 E - 9	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 9 - pole
Z7.255.3027.0	Jumper bar IVB WK4 E - 10	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 10 - pole
Z7.255.3127.0	Jumper bar IVB WK4 E - 11	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 11 - pole
Z7.255.3227.0	Jumper bar IVB WK4 E - 12	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 12 - pole
Z7.271.2227.0	Insulated jumper bar IVB WK4 E/U- 2	Cross connector, insulated for DIN rail terminal blocks type WK ..., 2 - pole
Z7.271.2327.0	Insulated jumper bar IVB WK4 E/U- 3	Cross connector, insulated for DIN rail terminal blocks type WK ..., 3 - pole

Z7.271.2427.0	Insulated jumper bar IVB WK4 E/U- 4	Cross connector, insulated for DIN rail terminal blocks type WK ..., 4 - pole
Z7.271.2527.0	Insulated jumper bar IVB WK4 E/U- 5	Cross connector, insulated for DIN rail terminal blocks type WK ..., 5 - pole
Z7.271.2627.0	Insulated jumper bar IVB WK4 E/U- 6	Cross connector, insulated for DIN rail terminal blocks type WK ..., 6 - pole
Z7.271.3027.0	Insulated jumper bar IVB WK4 E/U-10	Cross connector, insulated for DIN rail terminal blocks type WK ..., 10 - pole
Z7.271.3227.0	Insulated jumper bar IVB WK4 E/U-12	Cross connector, insulated for DIN rail terminal blocks type WK ..., 12 - pole
98.300.1800.0	Mounting rail TS 35x7,5 PERF 18mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated



Teile-Nr. /part-nr.	Typ/type WK4 E/U...	LED-Farbe LED-colour	mit gedrehter Diode with inverted diode	
57.404.8355.5	...G-URL			
57.404.8055.9	...G-ULR		X	
57.404.8255.5	...G0			
57.404.8155.9	...GU		X	
57.404.7255.5	...LD+P0	rot/red		
57.404.8755.5	..LDG+P024	grün/green		
57.404.7455.9	..LD-PO 24	rot/red		
57.404.7955.5	...G2			
57.404.8855.9	...G2/1		X	
57.404.8455.5	...LD 42	rot/red		
57.404.6255.9	...LD+P0 24LD	rot/red		

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung
 seiner Inhalte ist ohne schriftliche Genehmigung der Wieland-Werk AG.
 The further communication and utilization of the content as well as the
 communication of its contents to others without express authorization is prohibited.



Weitere Daten siehe Katalog
further data see catalog

Freitoleranz nach		CAD - Zeichnung, keine manuellen Änderungen			1. Verwendung: -		Bl.: 1 von 1		
	Maßstab	Werkstoff und Oberfläche:		2003	Tag	Name		Zeichnung Nr.	Index
	2:1			Entworfen	15.05.	Schmitt J.			
				Geprüft	-			Ersatz für: -	
				Vol.	mm ³	Normgepr.			
		wieland Elektrische Verbindungen		WK 4 E/U ...		Benennung			
						ETAGENKLEMME modular double-deck terminal			
Buchstabe	Datum / Blatt								
Änderung									