


Data sheet

Commercial Art.No.: 59.195.0055.0

Feed-through terminal RFK 1 / 95 F PA/V0

Feed-through terminal with Screw connection for mounting on TS 32, nominal cross section: 95 mm², width: 32 mm, color: grey



Commercial Art.No.	59.195.0055.0
EAN	4015573607705
Order Unit	10

Certificates / Approvals



Technical data

General

Nominal cross section	95 mm ²
Color	Grey
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	32 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Explosion-tested version "Ex e"	No
Mounting method	G-rail
Terminal blocks for electrical installations	No

Technical data

Rated current	250 A
Rated voltage	1000 V
Pollution degree	3
Closing plate required	No
Type of insulation material	Thermoplastic
Length	92 mm

Connection Data

Connection type 1	screw connection
Connection type 2	screw connection
Minimum cross section fine stranded	16 mm ²
Maximum cross section fine stranded	95 mm ²
Minimum cross section stranded	16 mm ²
Maximum cross section stranded	95 mm ²

Torque conductor mounting	10 Nm
---------------------------	-------

Technical Data UL/CSA


Cross section UL	6-3/0 AWG
Voltage UL	600 V
Current factory wiring	200 A
Current field wiring	200 A
Cross section CSA	6-3/0 AWG
Voltage CSA	600 V
Current CSA	200 A

Classification

ECLASS 11	
ECLASS 8.1	27141120
ETIM 7.0	EC000897
ETIM 6.0	EC000897
ETIM 5.0	EC000897
ETIM 4.0	EC000897
ETIM 3.0	EC000897

Product compliance

ROHS conformity status	Compliant/Exempted
ROHS exceptions	III-6(c)
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1



Weitere Daten siehe Katalog
further data see catalog

Tolerierung nach DIN 7167/Tolerance system acc. to DIN 7167. (This DIN-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances). ja/yes Stoffverbots- und Deklarationsliste nach UU-TQM-05/03 ist einzuhalten. Conformity with Wieland document UU-TQM-05/03 (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach General tolerance CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed 1.Verwendung: - First Use: - Blatt: 1 von 1 Sheet: 1 of 1

		Werkstoff/Material		2006	Tag/Date	Name	Zeichnung Nr./Drawing No.		Index
				gezeichnet drawn	04.12.	Schmitt J.	59.195.0055.0 01K		
				geprüft checked	-	-			
		Maßstab/Scale		Normgepr. Stand. check				Maße in mm/Dimensions are in mm	
		1:1		Ersatz für/Replacement for: -					
		Vol. mm³ Offl./Surf. mm²		Type		Benennung/Tittle			
				RfK		DURCHGANGSKLEMME			
				1/95 F PA/VO		95qmm Ausführung F / Configuration F Terminal block			
Index		Datum / Blatt Date / Sheet		Logo		wieland			
Änderung/Revision				Elektrische Verbindungen					

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Die Reproduktion, Distribution und Utilization of this document as well as the communication of its contents to others without express authorization is prohibited.

591950055001K_4 CADW1042 Schmitt 2006-12-04TT15320 1.000