1564411-2 - ACTIVE

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1564411-2 Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >



Heavy Duty Sealed Connector Series Fixing Slides

Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: **PBT GF**

Primary Product Color: Red

Number of Positions: 4, 12, 15, 16, 18

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

All Heavy Duty Sealed Connector Series Fixing Slides (33)



Features

Product Type Features

| Automotive Connector Accessory Type | Mounting Clip |
|-------------------------------------|----------------------------|
| Configuration Features | |
| Number of Positions | 4, 12, 15, 16, 18 |
| Body Features | |
| Primary Product Material | PBT GF |
| Primary Product Color | Red |
| Usage Conditions | |
| Compatible With Connector Style | Housing For Male Terminals |
| Operating Temperature Range | -40 – 140 °C[-40 – 284 °F] |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| | |

C For support call+1 800 522 6752

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series



Packaging Features

| Packaging Quantity | 1200 |
|--------------------|--------|
| Packaging Method | Carton |
| Other | |
| Serviceable | Yes |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series






Also in the Series | Heavy Duty Sealed Connector Series



| Automotive | Connector | caps a covers | |
|------------|-----------|---------------|--|
| (25) | | | |



Customers Also Bought



Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series





TE Part #FPP146-00056 RUBBER GASKET QLS TZIRQ

Documents

Product Drawings

SLIDE, TAB HSG GROUP E

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_1564411-2_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1564411-2_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1564411-2_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HDSCS Catalog English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series

