

Data sheet

Commercial Art.No.: 80.010.1114.0

Relay module WR8-230-1W-250V4A

relay module 8-fold, contact 1 change-over contact, designed for input And output, housing WEB 1002, dimensions: 128 x 80 x 78,5 mm (WxHxD), screw clamp terminal 8190/8191, input voltage: 230Volt AC/DC + 6%/-10%,output voltage: 250V AC/DC, A



| | |
|--------------------|---------------|
| Commercial Art.No. | 80.010.1114.0 |
| EAN | 4015573353718 |
| Order Unit | 1 |

Technical data

General

| | |
|--------------------------------|------------------|
| Connection type | screw connection |
| Number of change-over contacts | 1 |
| Detachable clamps | No |
| Drive, polarization | Polarity free |
| Drive, function | Mono stable |
| Forced-guided contacts | No |
| Complete with socket | yes |
| Degree of protection (IP) | IP20 |

Technical data

| | |
|---|---------|
| Type of excitation | AC/DC |
| Rated frequency, auxiliary-/control circuit | 50 - 60 |
| Min. rated frequency, auxiliary/control current circuit | 50 Hz |
| Max. rated frequency, auxiliary/control current circuit | 60 Hz |
| Min. nominal voltage DC | 230 V |
| Lower nominal voltage DC | 207 V |
| Upper nominal voltage DC | 243.8 V |

Dimensions

| | |
|--------|--------|
| Depth | 71 mm |
| Width | 128 mm |
| Height | 80 mm |

Classification

| | |
|------------|----------|
| ECLASS 11 | |
| ECLASS 8.1 | 27371601 |
| ETIM 7.0 | EC001437 |
| ETIM 6.0 | EC001437 |
| ETIM 5.0 | EC001437 |
| ETIM 4.0 | EC001437 |
| ETIM 3.0 | EC001437 |

Product compliance

| ROHS conformity status | Compliant/Exempted |
|------------------------|--------------------|
|------------------------|--------------------|

| | |
|------------------------------|---|
| ROHS exceptions | III-6(c) |
| REACH-SVHC conformity status | Duty-To-Declare |
| REACH-SVHC substances | Hexahydromethylphthalic-anhydride; Lead |
| REACH-SVHC CAS numbers | 25550-51-0; 7439-92-1 |