TE Internal #: 4-2337939-3

PCI & PCI Express Connectors, Board-to-Board, 98 Position, .039 in [1 mm] Centerline, Vertical, Black, Printed Circuit Board, Signal,

Board Mount

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Board-to-Board

Number of Positions: 98

PCI Generation: 4

Centerline (Pitch): 1 mm [.039 in]

Contact Mating Area Plating Material Thickness: [15 µin]

Features

Product Type Features

Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of PCB Mount Retention Features	2
Number of Positions	98
PCB Mount Orientation	Vertical
Ejector	Without

Contact Features

Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Base Material	Copper Alloy 15 µin

Termination Features

Termination Method to Printed Circuit Board	Surface Mount
---	---------------

Mechanical Attachment



PCB Mount Retention Type	SMT Hold-Down
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1 mm[.039 in]
Housing Color	Black
Dimensions	
PCB Thickness (Accepted)	1.57 mm
Usage Conditions	
Operating Temperature Range	-40 – 85 °C
Operation/Application	
Circuit Application	Signal
Industry Standards	
Bus Type	PCI Express
PCI Generation	4
Packaging Features	
Packaging Method	Box & Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



MYLAR,HT



Customers Also Bought



TE Part #1735104-4
SAS BACKPLANE RECEPT, VERTICAL



TE Part #1318912-1 EP CONN LP REC



TE Part #223956-1 STV ERMZUB FUEHRUNGSBOLZEN J * M 1 * * *





RN 0805 154K 0.1% 10PPM 1K RL













Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-2337939-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-2337939-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-2337939-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

AMP El Series, Connector

Japanese

Product Specification

Japanese

Product Specification

English

Agency Approvals

UL Report

English