

## Data sheet

Commercial Art.No.: 70.352.2436.3

Hood EX GOT GC24 M25 09IA Z3

Hood revos Ex made of zinc, for single locking lever with trumpet gland M25 on the top (IP54), low version, 24-poles explosion-tested version



Commercial Art.No.	70.352.2436.3
EAN	4015573773929
Order Unit	1

Certificates / Approvals



## Technical data

### General

Explosion-tested version	yes
Housing material	Die-cast zinc
Color	Blue
Degree of protection (IP)	IP54
Operating temperature range min.	-20 °C
Operating temperature range max.	60 °C

### Model

Construction	24
Model of the housing	male
Locking mechanism	Double locking levers
Cable entry	Above
Type of cable	Gland nut
With cable screw gland	yes
Thread size M	25
Thread size PG	
EMC-version	No
Length	120 mm
Width	57 mm
Height	70 mm

### Classification

ECLASS 11	
-----------	--

ECLASS 8.1	27440202
ETIM 7.0	EC000437
ETIM 6.0	EC000437
ETIM 5.0	EC000437

**Product compliance**

ROHS conformity status	Compliant/Exempted
ROHS exceptions	III-6(a); III-6(c)
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1